

NAG Library Function Document

nag_quad_1d_gen_vec_multi_dimreq (d01rcc)

1 Purpose

The dimension of the arrays that must be passed as actual arguments to nag_quad_1d_gen_vec_multi_rcomm (d01rac) are dependent upon a number of factors. nag_quad_1d_gen_vec_multi_dimreq (d01rcc) returns the correct size of these arrays enabling nag_quad_1d_gen_vec_multi_rcomm (d01rac) to be called successfully.

2 Specification

```
#include <nag.h>
#include <nagd01.h>

void nag_quad_1d_gen_vec_multi_dimreq (Integer ni, Integer *lenxrq,
    Integer *ldfmrq, Integer *sdfmrq, Integer *licmin, Integer *licmax,
    Integer *lcmin, Integer *lcmax, const Integer iopts[],
    const double opts[], NagError *fail)
```

3 Description

nag_quad_1d_gen_vec_multi_dimreq (d01rcc) returns the minimum dimension of the arrays **x** (*lenxrq*), **fm** (*ldfmrq* \times *sdfmrq*), **icom** (*licmin*) and **com** (*lcmin*) that must be passed to nag_quad_1d_gen_vec_multi_rcomm (d01rac) to enable the integration to commence given options currently set for the **ni** integrands. nag_quad_1d_gen_vec_multi_dimreq (d01rcc) also returns the upper bounds *licmax* and *lcmax* for the dimension of the arrays **icom** and **com**, that could possibly be required with the chosen options.

All the minimum values *lenxrq*, *ldfmrq*, *sdfmrq*, *licmin* and *lcmin*, and subsequently all the maximum values *licmax* and *lcmax* may be affected if different options are set, and hence nag_quad_1d_gen_vec_multi_dimreq (d01rcc) should be called after any options are set, and before the first call to nag_quad_1d_gen_vec_multi_rcomm (d01rac).

A segment is here defined as a (possibly maximal) subset of the domain of integration. During subdivision, a segment is bisected into two new segments.

4 References

None.

5 Arguments

- 1: **ni** – Integer *Input*
On entry: n_i , the number of integrals which will be approximated in the subsequent call to nag_quad_1d_gen_vec_multi_rcomm (d01rac).
Constraint: **ni** > 0.
- 2: **lenxrq** – Integer * *Output*
On exit: *lenxrq*, the minimum dimension of the array **x** that can be used in a subsequent call to nag_quad_1d_gen_vec_multi_rcomm (d01rac).

- 3: **ldfmrq** – Integer * *Output*
On exit: *ldfmrq*, the minimum stride separating row elements of the matrix of values stored in the array **fm** that can be used in a subsequent call to nag_quad_ld_gen_vec_multi_rcomm (d01rac).
- 4: **sdfmrq** – Integer * *Output*
On exit: *sdfmrq*, the minimum number of columns of the matrix of values stored in the array **fm** that can be used in a subsequent call to nag_quad_ld_gen_vec_multi_rcomm (d01rac).
Note: the minimum dimension of the array **fm** is $ldfmrq \times sdfmrq$.
- 5: **licmin** – Integer * *Output*
On exit: *licmin*, the minimum dimension of the array **icom** that must be passed to nag_quad_ld_gen_vec_multi_rcomm (d01rac) to enable it to calculate a single approximation to all the n_i integrals over the interval $[a, b]$ with s_{pri} initial segments.
- 6: **licmax** – Integer * *Output*
On exit: *licmax*, the dimension of the array **icom** that must be passed to nag_quad_ld_gen_vec_multi_rcomm (d01rac) to enable it to exhaust the adaptive process controlled by the currently set options for the n_i integrals over the interval $[a, b]$ with s_{pri} initial segments.
- 7: **lcmmin** – Integer * *Output*
On exit: *lcmmin*, the minimum dimension of the array **com** that must be passed to nag_quad_ld_gen_vec_multi_rcomm (d01rac) to enable it to calculate a single approximation to all the n_i integrals over the interval $[a, b]$ with s_{pri} initial segments.
- 8: **lcmax** – Integer * *Output*
On exit: *lcmax*, the dimension of the array **com** that must be passed to nag_quad_ld_gen_vec_multi_rcomm (d01rac) to enable it to exhaust the adaptive process controlled by the currently set options for the n_i integrals over the interval $[a, b]$ with s_{pri} initial segments.
- 9: **iopts**[*dim*] – const Integer *Communication Array*
Note: the dimension, *dim*, of this array is dictated by the requirements of associated functions that must have been previously called. This array MUST be the same array passed as argument **iopts** in the previous call to nag_quad_opt_set (d01zkc).
On entry: the integer option array as returned by nag_quad_opt_set (d01zkc).
Constraint: **iopts** must not be changed between calls to nag_quad_opt_set (d01zkc), nag_quad_opt_get (d01zlc), nag_quad_ld_gen_vec_multi_dimreq (d01rcc) and nag_quad_ld_gen_vec_multi_rcomm (d01rac).
- 10: **opts**[*dim*] – const double *Communication Array*
Note: the dimension, *dim*, of this array is dictated by the requirements of associated functions that must have been previously called. This array MUST be the same array passed as argument **opts** in the previous call to nag_quad_opt_set (d01zkc).
On entry: the real option array as returned by nag_quad_opt_set (d01zkc).
Constraint: **opts** must not be changed between calls to nag_quad_opt_set (d01zkc), nag_quad_opt_get (d01zlc), nag_quad_ld_gen_vec_multi_dimreq (d01rcc) and nag_quad_ld_gen_vec_multi_rcomm (d01rac).
- 11: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, $ni = \langle value \rangle$.

Constraint: $ni > 0$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_INVALID_OPTION

One of the option arrays **iopts** or **opts** has become corrupted. Re-initialize the arrays using `nag_quad_opt_set (d01zkc)`.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

Not applicable.

8 Parallelism and Performance

`nag_quad_1d_gen_vec_multi_dimreq (d01rcc)` is not threaded in any implementation.

9 Further Comments

None.

10 Example

See Section 10 in `nag_quad_1d_gen_vec_multi_rcomm (d01rac)` for examples of the usage of `nag_quad_1d_gen_vec_multi_dimreq (d01rcc)`.
