

NAG Library Function Document

nag_dgglse (f08zac)

1 Purpose

nag_dgglse (f08zac) solves a real linear equality-constrained least squares problem.

2 Specification

```
#include <nag.h>
#include <nagf08.h>

void nag_dgglse (Nag_OrderType order, Integer m, Integer n, Integer p,
                 double a[], Integer pda, double b[], Integer pdb, double c[],
                 double d[], double x[], NagError *fail)
```

3 Description

nag_dgglse (f08zac) solves the real linear equality-constrained least squares (LSE) problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where A is an m by n matrix, B is a p by n matrix, c is an m element vector and d is a p element vector. It is assumed that $p \leq n \leq m + p$, $\text{rank}(B) = p$ and $\text{rank}(E) = n$, where $E = \begin{pmatrix} A \\ B \end{pmatrix}$. These conditions ensure that the LSE problem has a unique solution, which is obtained using a generalized RQ factorization of the matrices B and A .

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia

Anderson E, Bai Z and Dongarra J (1992) Generalized QR factorization and its applications *Linear Algebra Appl. (Volume 162–164)* 243–271

Eldén L (1980) Perturbation theory for the least squares problem with linear equality constraints *SIAM J. Numer. Anal.* **17** 338–350

5 Arguments

- 1: **order** – Nag_OrderType *Input*
On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.
Constraint: **order** = Nag_RowMajor or Nag_ColMajor.
- 2: **m** – Integer *Input*
On entry: m , the number of rows of the matrix A .
Constraint: **m** ≥ 0 .

- 3: **n** – Integer *Input*
On entry: n , the number of columns of the matrices A and B .
Constraint: $n \geq 0$.
- 4: **p** – Integer *Input*
On entry: p , the number of rows of the matrix B .
Constraint: $0 \leq p \leq n \leq m + p$.
- 5: **a**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **a** must be at least
 $\max(1, pda \times n)$ when **order** = Nag_ColMajor;
 $\max(1, m \times pda)$ when **order** = Nag_RowMajor.
The (i, j) th element of the matrix A is stored in
 $a[(j-1) \times pda + i - 1]$ when **order** = Nag_ColMajor;
 $a[(i-1) \times pda + j - 1]$ when **order** = Nag_RowMajor.
On entry: the m by n matrix A .
On exit: **a** is overwritten.
- 6: **pda** – Integer *Input*
On entry: the stride separating row or column elements (depending on the value of **order**) in the array **a**.
Constraints:
if **order** = Nag_ColMajor, $pda \geq \max(1, m)$;
if **order** = Nag_RowMajor, $pda \geq \max(1, n)$.
- 7: **b**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **b** must be at least
 $\max(1, pdb \times n)$ when **order** = Nag_ColMajor;
 $\max(1, p \times pdb)$ when **order** = Nag_RowMajor.
The (i, j) th element of the matrix B is stored in
 $b[(j-1) \times pdb + i - 1]$ when **order** = Nag_ColMajor;
 $b[(i-1) \times pdb + j - 1]$ when **order** = Nag_RowMajor.
On entry: the p by n matrix B .
On exit: **b** is overwritten.
- 8: **pdb** – Integer *Input*
On entry: the stride separating row or column elements (depending on the value of **order**) in the array **b**.
Constraints:
if **order** = Nag_ColMajor, $pdb \geq \max(1, p)$;
if **order** = Nag_RowMajor, $pdb \geq \max(1, n)$.
- 9: **c**[**m**] – double *Input/Output*
On entry: the right-hand side vector c for the least squares part of the LSE problem.
On exit: the residual sum of squares for the solution vector x is given by the sum of squares of elements **c**[$n - p$], **c**[$n - p + 1$], ..., **c**[$m - 1$]; the remaining elements are overwritten.

- 10: **d[p]** – double *Input/Output*
On entry: the right-hand side vector d for the equality constraints.
On exit: **d** is overwritten.
- 11: **x[n]** – double *Output*
On exit: the solution vector x of the LSE problem.
- 12: **fail** – NagError * *Input/Output*
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.
See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, **m** = $\langle value \rangle$.
Constraint: **m** ≥ 0 .

On entry, **n** = $\langle value \rangle$.
Constraint: **n** ≥ 0 .

On entry, **pda** = $\langle value \rangle$.
Constraint: **pda** > 0 .

On entry, **pdb** = $\langle value \rangle$.
Constraint: **pdb** > 0 .

NE_INT_2

On entry, **pda** = $\langle value \rangle$ and **m** = $\langle value \rangle$.
Constraint: **pda** $\geq \max(1, \mathbf{m})$.

On entry, **pda** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
Constraint: **pda** $\geq \max(1, \mathbf{n})$.

On entry, **pdb** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
Constraint: **pdb** $\geq \max(1, \mathbf{n})$.

On entry, **pdb** = $\langle value \rangle$ and **p** = $\langle value \rangle$.
Constraint: **pdb** $\geq \max(1, \mathbf{p})$.

NE_INT_3

On entry, **p** = $\langle value \rangle$, **m** = $\langle value \rangle$ and **n** = $\langle value \rangle$.
Constraint: $0 \leq \mathbf{p} \leq \mathbf{n} \leq \mathbf{m} + \mathbf{p}$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.
See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.
See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NE_SINGULAR

The $(N - P)$ by $(N - P)$ part of the upper trapezoidal factor T associated with A in the generalized RQ factorization of the pair (B, A) is singular, so that the rank of the matrix (E) comprising the rows of A and B is less than n ; the least squares solutions could not be computed.

The upper triangular factor R associated with B in the generalized RQ factorization of the pair (B, A) is singular, so that $\text{rank}(B) < p$; the least squares solution could not be computed.

7 Accuracy

For an error analysis, see Anderson *et al.* (1992) and Eldén (1980). See also Section 4.6 of Anderson *et al.* (1999).

8 Parallelism and Performance

nag_dgglse (f08zac) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

nag_dgglse (f08zac) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

When $m \geq n = p$, the total number of floating-point operations is approximately $\frac{2}{3}n^2(6m + n)$; if $p \ll n$, the number reduces to approximately $\frac{2}{3}n^2(3m - n)$.

nag_opt_lin_lsqr (e04ncc) may also be used to solve LSE problems. It differs from nag_dgglse (f08zac) in that it uses an iterative (rather than direct) method, and that it allows general upper and lower bounds to be specified for the variables x and the linear constraints Bx .

10 Example

This example solves the least squares problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where

$$c = \begin{pmatrix} -1.50 \\ -2.14 \\ 1.23 \\ -0.54 \\ -1.68 \\ 0.82 \end{pmatrix},$$

$$A = \begin{pmatrix} -0.57 & -1.28 & -0.39 & 0.25 \\ -1.93 & 1.08 & -0.31 & -2.14 \\ 2.30 & 0.24 & 0.40 & -0.35 \\ -1.93 & 0.64 & -0.66 & 0.08 \\ 0.15 & 0.30 & 0.15 & -2.13 \\ -0.02 & 1.03 & -1.43 & 0.50 \end{pmatrix},$$

$$B = \begin{pmatrix} 1.0 & 0 & -1.0 & 0 \\ 0 & 1.0 & 0 & -1.0 \end{pmatrix}$$

and

$$d = \begin{pmatrix} 0 \\ 0 \end{pmatrix}.$$

The constraints $Bx = d$ correspond to $x_1 = x_3$ and $x_2 = x_4$.

10.1 Program Text

```
/* nag_dgglse (f08zac) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf08.h>
#include <nagf16.h>

int main(void)
{
    /* Scalars */
    double rnorm;
    Integer i, j, m, n, p, pda, pdb;
    Integer exit_status = 0;
    NagError fail;
    Nag_OrderType order;
    /* Arrays */
    double *a = 0, *b = 0, *c = 0, *d = 0, *x = 0;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I - 1]
#define B(I, J) b[(J-1)*pdb + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J - 1]
#define B(I, J) b[(I-1)*pdb + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_dgglse (f08zac) Example Program Results\n\n");

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif
#ifdef _WIN32
    scanf_s("%" NAG_IFMT "%" NAG_IFMT "%" NAG_IFMT "%*[\n] ", &m, &n, &p);

```

```

#else
    scanf("%" NAG_IFMT "%" NAG_IFMT "%" NAG_IFMT "%*[^\\n] ", &m, &n, &p);
#endif

#ifdef NAG_COLUMN_MAJOR
    pda = m;
    pdb = p;
#else
    pda = n;
    pdb = n;
#endif

    /* Allocate memory */
    if (!(a = NAG_ALLOC(m * n, double)) ||
        !(b = NAG_ALLOC(p * n, double)) ||
        !(c = NAG_ALLOC(m, double)) ||
        !(d = NAG_ALLOC(p, double)) || !(x = NAG_ALLOC(n, double)))
    {
        printf("Allocation failure\\n");
        exit_status = -1;
        goto END;
    }

    /* Read A, B, C and D from data file */
    for (i = 1; i <= m; ++i) {
        for (j = 1; j <= n; ++j)
#ifdef _WIN32
            scanf_s("%lf", &A(i, j));
#else
            scanf("%lf", &A(i, j));
#endif
    }
#ifdef _WIN32
    scanf_s("%*[^\\n] ");
#else
    scanf("%*[^\\n] ");
#endif

    for (i = 1; i <= p; ++i) {
        for (j = 1; j <= n; ++j)
#ifdef _WIN32
            scanf_s("%lf", &B(i, j));
#else
            scanf("%lf", &B(i, j));
#endif
    }
#ifdef _WIN32
    scanf_s("%*[^\\n] ");
#else
    scanf("%*[^\\n] ");
#endif

    for (i = 1; i <= m; ++i)
#ifdef _WIN32
        scanf_s("%lf", &c[i - 1]);
#else
        scanf("%lf", &c[i - 1]);
#endif
#ifdef _WIN32
    scanf_s("%*[^\\n] ");
#else
    scanf("%*[^\\n] ");
#endif

    for (i = 1; i <= p; ++i)
#ifdef _WIN32
        scanf_s("%lf", &d[i - 1]);
#else
        scanf("%lf", &d[i - 1]);
#endif
#ifdef _WIN32

```

```

    scanf_s("%*[^\\n] ");
#else
    scanf("%*[^\\n] ");
#endif

/* Solve the equality-constrained least squares problem */
/* minimize ||c - A*x|| (in the 2-norm) subject to B*x = D */
nag_dgglse(order, m, n, p, a, pda, b, pdb, c, d, x, &fail);

if (fail.code == NE_NOERROR) {
    /* Print least squares solution */
    printf("%s\\n", "Constrained least squares solution");
    for (i = 1; i <= n; ++i)
        printf("%11.4f%s", x[i - 1], i % 7 == 0 || i == n ? "\\n" : " ");

    /* Compute the square root of the residual sum of squares */
    nag_dge_norm(Nag_ColMajor, Nag_FrobeniusNorm, 1, m - n + p, &c[n - p], 1,
        &rnorm, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_dge_norm (f16rac).\\n%s\\n", fail.message);
        exit_status = 1;
        goto END;
    }
    printf("\\nSquare root of the residual sum of squares\\n");
    printf("%11.2e\\n", rnorm);
}
else {
    printf("Error from nag_dgglse (f08zac).\\n%s\\n", fail.message);
    exit_status = 1;
}

END:
    NAG_FREE(a);
    NAG_FREE(b);
    NAG_FREE(c);
    NAG_FREE(d);
    NAG_FREE(x);

    return exit_status;
}

```

10.2 Program Data

nag_dgglse (f08zac) Example Program Data

6	4	2		:Values of M, N and P
-0.57	-1.28	-0.39	0.25	
-1.93	1.08	-0.31	-2.14	
2.30	0.24	0.40	-0.35	
-1.93	0.64	-0.66	0.08	
0.15	0.30	0.15	-2.13	
-0.02	1.03	-1.43	0.50	:End of matrix A
1.00	0.00	-1.00	0.00	
0.00	1.00	0.00	-1.00	:End of matrix B
-1.50				
-2.14				
1.23				
-0.54				
-1.68				
0.82				:End of vector c
0.00				
0.00				:End of vector d

10.3 Program Results

nag_dgglse (f08zac) Example Program Results

```
Constrained least squares solution
      0.4890      0.9975      0.4890      0.9975

Square root of the residual sum of squares
      2.51e-02
```
