

## NAG Library Function Document

### nag\_bivariate\_normal\_dist (g01hac)

#### 1 Purpose

nag\_bivariate\_normal\_dist (g01hac) returns the lower tail probability for the bivariate Normal distribution.

#### 2 Specification

```
#include <nag.h>
#include <nagg01.h>

double nag_bivariate_normal_dist (double x, double y, double rho,
                                   NagError *fail)
```

#### 3 Description

For the two random variables  $(X, Y)$  following a bivariate Normal distribution with

$$E[X] = 0, \quad E[Y] = 0, \quad E[X^2] = 1, \quad E[Y^2] = 1 \quad \text{and} \quad E[XY] = \rho,$$

the lower tail probability is defined by:

$$P(X \leq x, Y \leq y : \rho) = \frac{1}{2\pi\sqrt{1-\rho^2}} \int_{-\infty}^y \int_{-\infty}^x \exp\left(-\frac{(X^2 - 2\rho XY + Y^2)}{2(1-\rho^2)}\right) dXdY.$$

For a more detailed description of the bivariate Normal distribution and its properties see Abramowitz and Stegun (1972) and Kendall and Stuart (1969). The method used is described by Genz (2004).

#### 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Genz A (2004) Numerical computation of rectangular bivariate and trivariate Normal and  $t$  probabilities *Statistics and Computing* **14** 151–160

Kendall M G and Stuart A (1969) *The Advanced Theory of Statistics (Volume 1)* (3rd Edition) Griffin

#### 5 Arguments

- 1: **x** – double *Input*  
*On entry:*  $x$ , the first argument for which the bivariate Normal distribution function is to be evaluated.
- 2: **y** – double *Input*  
*On entry:*  $y$ , the second argument for which the bivariate Normal distribution function is to be evaluated.
- 3: **rho** – double *Input*  
*On entry:*  $\rho$ , the correlation coefficient.  
*Constraint:*  $-1.0 \leq \mathbf{rho} \leq 1.0$ .

4: **fail** – NagError \*

*Input/Output*

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

On any of the error conditions listed below nag\_bivariate\_normal\_dist (g01hac) returns 0.0.

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

### NE\_REAL\_ARG\_GT

On entry, **rho** =  $\langle value \rangle$ .

Constraint: **rho**  $\leq 1.0$ .

### NE\_REAL\_ARG\_LT

On entry, **rho** =  $\langle value \rangle$ .

Constraint: **rho**  $\geq -1.0$ .

## 7 Accuracy

Accuracy of the hybrid algorithm implemented here is discussed in Genz (2004). This algorithm should give a maximum absolute error of less than  $5 \times 10^{-16}$ .

## 8 Parallelism and Performance

nag\_bivariate\_normal\_dist (g01hac) is not threaded in any implementation.

## 9 Further Comments

The probabilities for the univariate Normal distribution can be computed using nag\_cumul\_normal (s15abc) and nag\_cumul\_normal\_complem (s15acc).

## 10 Example

This example reads values of  $x$  and  $y$  for a bivariate Normal distribution along with the value of  $\rho$  and computes the lower tail probabilities.

## 10.1 Program Text

```

/* nag_bivariate_normal_dist (g01hac) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nagg01.h>

int main(void)
{
    Integer exit_status = 0;
    double prob, rho, x, y;
    NagError fail;

    INIT_FAIL(fail);

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif
    printf("nag_bivariate_normal_dist (g01hac) Example Program Results\n");
    printf("      x      y      rho      prob\n\n");
#ifdef _WIN32
    while (scanf_s("%lf %lf %lf", &x, &y, &rho) != EOF)
#else
    while (scanf("%lf %lf %lf", &x, &y, &rho) != EOF)
#endif
    {
        /* nag_bivariate_normal_dist (g01hac).
        * Probability for the bivariate Normal distribution
        */
        prob = nag_bivariate_normal_dist(x, y, rho, &fail);
        if (fail.code != NE_NOERROR) {
            printf("Error from nag_bivariate_normal_dist (g01hac).\n%s\n",
                fail.message);
            exit_status = 1;
            goto END;
        }
        printf("%8.3f%8.3f%8.3f%8.4f\n", x, y, rho, prob);
    }

END:
    return exit_status;
}

```

## 10.2 Program Data

```

nag_bivariate_normal_dist (g01hac) Example Program Data
1.7  23.1  0.0
0.0  0.0  0.1
3.3  11.1  0.54
9.1  9.1  0.17

```

### 10.3 Program Results

nag\_bivariate\_normal\_dist (g01hac) Example Program Results

x	y	rho	prob
1.700	23.100	0.000	0.9554
0.000	0.000	0.100	0.2659
3.300	11.100	0.540	0.9995
9.100	9.100	0.170	1.0000

---