

# NAG Library Function Document

## nag\_forecast\_agarchI (g13fbc)

### 1 Purpose

nag\_forecast\_agarchI (g13fbc) forecasts the conditional variances,  $h_t$ ,  $t = 1, \dots, \tau$  from a type I AGARCH( $p, q$ ) sequence, where  $\tau$  is the forecast horizon (see Engle and Ng (1993)).

### 2 Specification

```
#include <nag.h>
#include <nagg13.h>

void nag_forecast_agarchI (Integer num, Integer nt, Integer p, Integer q,
    const double theta[], double gamma, double fht[], const double ht[],
    const double et[], NagError *fail)
```

### 3 Description

Assume the standard ( $\gamma = 0$ ) GARCH( $p, q$ ) process can be represented by:

$$\epsilon_t \mid \psi_{t-1} \sim N(0, h_t)$$

$$h_t = \alpha_0 + \sum_{i=1}^q \alpha_i \epsilon_{t-i}^2 + \sum_{i=1}^p \beta_i h_{t-i}, \quad t = 1, \dots, T.$$

or type I AGARCH( $p, q$ ) process with conditional variance  $h_t$  given by:

$$h_t = \alpha_0 + \sum_{i=1}^q \alpha_i (\epsilon_{t-i} + \gamma)^2 + \sum_{i=1}^p \beta_i h_{t-i}, \quad t = 1, \dots, T.$$

has been modelled by nag\_estimate\_agarchI (g13fac) and the estimated conditional variances and residuals are contained in the arrays **ht** and **et** respectively. Then nag\_forecast\_agarchI (g13fbc) will use the last  $\max(p, q)$  elements of the arrays **ht** and **et** to estimate the conditional variance forecasts,  $h_t \mid \psi_T$ , where  $t = T + 1, \dots, T + \tau$  and  $\tau$  is the forecast horizon.

### 4 References

Bollerslev T (1986) Generalised autoregressive conditional heteroskedasticity *Journal of Econometrics* **31** 307–327

Engle R (1982) Autoregressive conditional heteroskedasticity with estimates of the variance of United Kingdom inflation *Econometrica* **50** 987–1008

Engle R and Ng V (1993) Measuring and testing the impact of news on volatility *Journal of Finance* **48** 1749–1777

Hamilton J (1994) *Time Series Analysis* Princeton University Press

### 5 Arguments

- 1: **num** – Integer *Input*  
*On entry:* the number of terms in the arrays **ht** and **et** from the modelled sequence.  
*Constraint:*  $\max(p, q) \leq \text{num}$ .

- 2: **nt** – Integer *Input*  
*On entry:*  $\tau$ , the forecast horizon.  
*Constraint:* **nt** > 0.
- 3: **p** – Integer *Input*  
*On entry:* the GARCH( $p, q$ ) argument  $p$ .  
*Constraint:*  $0 < \max(\mathbf{p}, \mathbf{q}) \leq \mathbf{num}$ , **p** ≥ 0.
- 4: **q** – Integer *Input*  
*On entry:* the GARCH( $p, q$ ) argument  $q$ .  
*Constraint:*  $0 < \max(\mathbf{p}, \mathbf{q}) \leq \mathbf{num}$ , **q** ≥ 1.
- 5: **theta**[**q** + **p** + 1] – const double *Input*  
*On entry:* the first element must contain the coefficient  $\alpha_o$  and the next **q** elements must contain the coefficients  $\alpha_i$ , for  $i = 1, 2, \dots, q$ . The remaining **p** elements must contain the coefficients  $\beta_j$ , for  $j = 1, 2, \dots, p$ .
- 6: **gamma** – double *Input*  
*On entry:* the asymmetry argument  $\gamma$  for the GARCH( $p, q$ ) sequence.
- 7: **fht**[**nt**] – double *Output*  
*On exit:* the forecast values of the conditional variance,  $h_t$ , for  $t = 1, 2, \dots, \tau$ .
- 8: **ht**[**num**] – const double *Input*  
*On entry:* the sequence of past conditional variances for the GARCH( $p, q$ ) process,  $h_t$ , for  $t = 1, 2, \dots, T$ .
- 9: **et**[**num**] – const double *Input*  
*On entry:* the sequence of past residuals for the GARCH( $p, q$ ) process,  $\epsilon_t$ , for  $t = 1, 2, \dots, T$ .
- 10: **fail** – NagError \* *Input/Output*  
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

### NE\_2\_INT\_ARG\_LT

*On entry,* **num** =  $\langle value \rangle$  while  $\max(\mathbf{p}, \mathbf{q}) = \langle value \rangle$ . These arguments must satisfy **num** ≥  $\max(\mathbf{p}, \mathbf{q})$ .

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

### NE\_INT\_ARG\_LT

*On entry,* **nt** =  $\langle value \rangle$ .

*Constraint:* **nt** ≥ 1.

*On entry,* **num** =  $\langle value \rangle$ .

*Constraint:* **num** ≥ 0.

On entry, **p** =  $\langle value \rangle$ .

Constraint: **p**  $\geq 0$ .

On entry, **q** =  $\langle value \rangle$ .

Constraint: **q**  $\geq 1$ .

## **7 Accuracy**

Not applicable.

## **8 Parallelism and Performance**

nag\_forecast\_agarchI (g13fbc) is not threaded in any implementation.

## **9 Further Comments**

None.

## **10 Example**

See the example for nag\_estimate\_agarchI (g13fac).

---