

NAG Library Function Document

nag_kelvin_bei_vector (s19apc)

1 Purpose

nag_kelvin_bei_vector (s19apc) returns an array of values for the Kelvin function $\text{bei } x$.

2 Specification

```
#include <nag.h>
#include <nags.h>

void nag_kelvin_bei_vector (Integer n, const double x[], double f[],
    Integer ivalid[], NagError *fail)
```

3 Description

nag_kelvin_bei_vector (s19apc) evaluates an approximation to the Kelvin function $\text{bei } x_i$ for an array of arguments x_i , for $i = 1, 2, \dots, n$.

Note: $\text{bei}(-x) = \text{bei } x$, so the approximation need only consider $x \geq 0.0$.

The function is based on several Chebyshev expansions:

For $0 \leq x \leq 5$,

$$\text{bei } x = \frac{x^2}{4} \sum_{r=0} a_r T_r(t), \quad \text{with } t = 2\left(\frac{x}{5}\right)^4 - 1;$$

For $x > 5$,

$$\begin{aligned} \text{bei } x = & \frac{e^{x/\sqrt{2}}}{\sqrt{2\pi x}} \left[\left(1 + \frac{1}{x}a(t)\right) \sin \alpha - \frac{1}{x}b(t) \cos \alpha \right] \\ & + \frac{e^{x/\sqrt{2}}}{\sqrt{2\pi x}} \left[\left(1 + \frac{1}{x}c(t)\right) \cos \beta - \frac{1}{x}d(t) \sin \beta \right] \end{aligned}$$

where $\alpha = \frac{x}{\sqrt{2}} - \frac{\pi}{8}$, $\beta = \frac{x}{\sqrt{2}} + \frac{\pi}{8}$,

and $a(t)$, $b(t)$, $c(t)$, and $d(t)$ are expansions in the variable $t = \frac{10}{x} - 1$.

When x is sufficiently close to zero, the result is computed as $\text{bei } x = \frac{x^2}{4}$. If this result would underflow, the result returned is $\text{bei } x = 0.0$.

For large x , there is a danger of the result being totally inaccurate, as the error amplification factor grows in an essentially exponential manner; therefore the function must fail.

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

5 Arguments

- 1: **n** – Integer *Input*
 On entry: n , the number of points.
 Constraint: $n \geq 0$.

- 2: **x[n]** – const double *Input*
 On entry: the argument x_i of the function, for $i = 1, 2, \dots, n$.

- 3: **f[n]** – double *Output*
 On exit: f_i , the function values.

- 4: **ivalid[n]** – Integer *Output*
 On exit: **ivalid**[$i - 1$] contains the error code for x_i , for $i = 1, 2, \dots, n$.
 ivalid[$i - 1$] = 0
 No error.
 ivalid[$i - 1$] = 1
 $\text{abs}(x_i)$ is too large for an accurate result to be returned. **f**[$i - 1$] contains zero. The
 threshold value is the same as for **fail.code** = NE_REAL_ARG_GT in nag_kelvin_bei
 (s19abc), as defined in the Users' Note for your implementation.

- 5: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 2.7 in How to Use the NAG Library and its
 Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle \text{value} \rangle$ had an illegal value.

NE_INT

On entry, $n = \langle \text{value} \rangle$.

Constraint: $n \geq 0$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NW_INVALID

On entry, at least one value of **x** was invalid.
Check **ivalid** for more information.

7 Accuracy

Since the function is oscillatory, the absolute error rather than the relative error is important. Let E be the absolute error in the function, and δ be the relative error in the argument. If δ is somewhat larger than the *machine precision*, then we have:

$$E \simeq \left| \frac{x}{\sqrt{2}} (-\text{ber}_1 x + \text{bei}_1 x) \right| \delta$$

(provided E is within machine bounds).

For small x the error amplification is insignificant and thus the absolute error is effectively bounded by the *machine precision*.

For medium and large x , the error behaviour is oscillatory and its amplitude grows like $\sqrt{\frac{x}{2\pi}} e^{x/\sqrt{2}}$.

Therefore it is impossible to calculate the functions with any accuracy when $\sqrt{x} e^{x/\sqrt{2}} > \frac{\sqrt{2\pi}}{\delta}$. Note that this value of x is much smaller than the minimum value of x for which the function overflows.

8 Parallelism and Performance

nag_kelvin_bei_vector (s19apc) is not threaded in any implementation.

9 Further Comments

None.

10 Example

This example reads values of **x** from a file, evaluates the function at each value of x_i and prints the results.

10.1 Program Text

```
/* nag_kelvin_bei_vector (s19apc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */
#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Integer exit_status = 0;
    Integer i, n;
    double *f = 0, *x = 0;
    Integer *ivalid = 0;
    NagError fail;

    INIT_FAIL(fail);
```

```

/* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif

    printf("nag_kelvin_bei_vector (s19apc) Example Program Results\n");
    printf("\n");
    printf("      x      f      ivalid\n");
    printf("\n");
#ifdef _WIN32
    scanf_s("%" NAG_IFMT " ", &n);
#else
    scanf("%" NAG_IFMT " ", &n);
#endif
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif

/* Allocate memory */
if (!(x = NAG_ALLOC(n, double)) ||
    !(f = NAG_ALLOC(n, double)) || !(ivalid = NAG_ALLOC(n, Integer)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

for (i = 0; i < n; i++)
#ifdef _WIN32
    scanf_s("%lf", &x[i]);
#else
    scanf("%lf", &x[i]);
#endif
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif

/* nag_kelvin_bei_vector (s19apc).
 * Kelvin Function bei x
 */
nag_kelvin_bei_vector(n, x, f, ivalid, &fail);
if (fail.code != NE_NOERROR && fail.code != NW_INVALID) {
    printf("Error from nag_kelvin_bei_vector (s19apc).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

for (i = 0; i < n; i++)
    printf(" %11.3e %11.3e %4" NAG_IFMT "\n", x[i], f[i], ivalid[i]);

END:
    NAG_FREE(f);
    NAG_FREE(x);
    NAG_FREE(ivalid);

    return exit_status;
}

```

10.2 Program Data

nag_kelvin_bei_vector (s19apc) Example Program Data

7

0.1 1.0 2.5 5.0 10.0 15.0 -1.0

10.3 Program Results

nag_kelvin_bei_vector (s19apc) Example Program Results

x	f	ivalid
1.000e-01	2.500e-03	0
1.000e+00	2.496e-01	0
2.500e+00	1.457e+00	0
5.000e+00	1.160e-01	0
1.000e+01	5.637e+01	0
1.500e+01	-2.953e+03	0
-1.000e+00	2.496e-01	0
