

# NAG Library Function Document

## nag\_fresnel\_c (s20adc)

### 1 Purpose

nag\_fresnel\_c (s20adc) returns a value for the Fresnel integral  $C(x)$ .

### 2 Specification

```
#include <nag.h>
#include <nags.h>
double nag_fresnel_c (double x)
```

### 3 Description

nag\_fresnel\_c (s20adc) evaluates an approximation to the Fresnel integral

$$C(x) = \int_0^x \cos\left(\frac{\pi}{2}t^2\right) dt.$$

**Note:**  $C(x) = -C(-x)$ , so the approximation need only consider  $x \geq 0.0$ .

The function is based on three Chebyshev expansions:

For  $0 < x \leq 3$ ,

$$C(x) = x \sum_{r=0} a_r T_r(t), \quad \text{with } t = 2\left(\frac{x}{3}\right)^4 - 1.$$

For  $x > 3$ ,

$$C(x) = \frac{1}{2} + \frac{f(x)}{x} \sin\left(\frac{\pi}{2}x^2\right) - \frac{g(x)}{x^3} \cos\left(\frac{\pi}{2}x^2\right),$$

where  $f(x) = \sum_{r=0} b_r T_r(t)$ ,

and  $g(x) = \sum_{r=0} c_r T_r(t)$ ,

with  $t = 2\left(\frac{3}{x}\right)^4 - 1$ .

For small  $x$ ,  $C(x) \simeq x$ . This approximation is used when  $x$  is sufficiently small for the result to be correct to **machine precision**.

For large  $x$ ,  $f(x) \simeq \frac{1}{\pi}$  and  $g(x) \simeq \frac{1}{\pi^2}$ . Therefore for moderately large  $x$ , when  $\frac{1}{\pi^2 x^3}$  is negligible compared with  $\frac{1}{2}$ , the second term in the approximation for  $x > 3$  may be dropped. For very large  $x$ , when  $\frac{1}{\pi x}$  becomes negligible,  $C(x) \simeq \frac{1}{2}$ . However there will be considerable difficulties in calculating  $\sin\left(\frac{\pi}{2}x^2\right)$  accurately before this final limiting value can be used. Since  $\sin\left(\frac{\pi}{2}x^2\right)$  is periodic, its value is essentially determined by the fractional part of  $x^2$ . If  $x^2 = N + \theta$ , where  $N$  is an integer and  $0 \leq \theta < 1$ , then  $\sin\left(\frac{\pi}{2}x^2\right)$  depends on  $\theta$  and on  $N$  modulo 4. By exploiting this fact, it is possible to retain some significance in the calculation of  $\sin\left(\frac{\pi}{2}x^2\right)$  either all the way to the very large  $x$  limit, or at least until the integer part of  $\frac{x}{2}$  is equal to the maximum integer allowed on the machine.

## 4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

## 5 Arguments

1: **x** – double

*Input*

*On entry:* the argument  $x$  of the function.

## 6 Error Indicators and Warnings

None.

## 7 Accuracy

Let  $\delta$  and  $\epsilon$  be the relative errors in the argument and result respectively.

If  $\delta$  is somewhat larger than the **machine precision** (i.e if  $\delta$  is due to data errors etc.), then  $\epsilon$  and  $\delta$  are approximately related by:

$$\epsilon \simeq \left| \frac{x \cos\left(\frac{\pi}{2}x^2\right)}{C(x)} \right| \delta.$$

Figure 1 shows the behaviour of the error amplification factor  $\left| \frac{x \cos\left(\frac{\pi}{2}x^2\right)}{C(x)} \right|$ .

However, if  $\delta$  is of the same order as the **machine precision**, then rounding errors could make  $\epsilon$  slightly larger than the above relation predicts.

For small  $x$ ,  $\epsilon \simeq \delta$  and there is no amplification of relative error.

For moderately large values of  $x$ ,

$$|\epsilon| \simeq \left| 2x \cos\left(\frac{\pi}{2}x^2\right) \right| |\delta|$$

and the result will be subject to increasingly large amplification of errors. However the above relation breaks down for large values of  $x$  (i.e., when  $\frac{1}{x^2}$  is of the order of the **machine precision**); in this region the relative error in the result is essentially bounded by  $\frac{2}{\pi x}$ .

Hence the effects of error amplification are limited and at worst the relative error loss should not exceed half the possible number of significant figures.




Figure 1

## 8 Parallelism and Performance

nag\_fresnel\_c (s20adc) is not threaded in any implementation.

## 9 Further Comments

None.

## 10 Example

This example reads values of the argument  $x$  from a file, evaluates the function at each value of  $x$  and prints the results.

### 10.1 Program Text

```
/* nag_fresnel_c (s20adc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */

#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Integer exit_status = 0;
    double x, y;

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\\n]");
#else

```

```

    scanf("%*[^\\n]");
#endif
    printf("nag_fresnel_c (s20adc) Example Program Results\\n");
    printf("      x              y\\n");
#ifdef _WIN32
    while (scanf_s("%lf", &x) != EOF)
#else
    while (scanf("%lf", &x) != EOF)
#endif
    {
        /* nag_fresnel_c (s20adc).
         * Fresnel integral C(x)
         */
        y = nag_fresnel_c(x);
        printf("%12.3e%12.3e\\n", x, y);
    }

    return exit_status;
}

```

## 10.2 Program Data

```

nag_fresnel_c (s20adc) Example Program Data
      0.0
      0.5
      1.0
      2.0
      4.0
      5.0
      6.0
      8.0
     10.0
     -1.0
    1000.0

```

## 10.3 Program Results

```

nag_fresnel_c (s20adc) Example Program Results
      x              y
0.000e+00  0.000e+00
5.000e-01  4.923e-01
1.000e+00  7.799e-01
2.000e+00  4.883e-01
4.000e+00  4.984e-01
5.000e+00  5.636e-01
6.000e+00  4.995e-01
8.000e+00  4.998e-01
1.000e+01  4.999e-01
-1.000e+00 -7.799e-01
1.000e+03  5.000e-01

```

