

NAG Library Routine Document

F06HGF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F06HGF negates a complex vector.

2 Specification

```
SUBROUTINE F06HGF (N, X, INCX)
  INTEGER          N, INCX
  COMPLEX (KIND=nag_wp) X(*)
```

3 Description

F06HGF performs the operation

$$x \leftarrow -x$$

where x is an n -element complex vector scattered with stride INCX.

4 References

None.

5 Arguments

- 1: N – INTEGER *Input*
On entry: n , the number of elements in x .
- 2: X(*) – COMPLEX (KIND=nag_wp) array *Input/Output*
Note: the dimension of the array X must be at least $\max(1, 1 + (N - 1) \times \text{INCX})$.
On entry: the n -element vector x . x_i must be stored in $X(1 + (i - 1) \times \text{INCX})$, for $i = 1, 2, \dots, N$.
 Intermediate elements of X are not referenced.
On exit: the vector $-x$ stored in the array elements used to supply the original vector x .
 Intermediate elements of X are unchanged.
- 3: INCX – INTEGER *Input*
On entry: the increment in the subscripts of X between successive elements of x .
Constraint: $\text{INCX} > 0$.

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Parallelism and Performance

F06HGF is not threaded in any implementation.

9 Further Comments

None.

10 Example

None.
