

# NAG Library Routine Document

## F07CAF (DGTSV)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F07CAF (DGTSV) computes the solution to a real system of linear equations

$$AX = B,$$

where  $A$  is an  $n$  by  $n$  tridiagonal matrix and  $X$  and  $B$  are  $n$  by  $r$  matrices.

### 2 Specification

SUBROUTINE F07CAF (N, NRHS, DL, D, DU, B, LDB, INFO)

INTEGER N, NRHS, LDB, INFO

REAL (KIND=nag\_wp) DL(\*), D(\*), DU(\*), B(LDB,\*)

The routine may be called by its LAPACK name *dgtsv*.

### 3 Description

F07CAF (DGTSV) uses Gaussian elimination with partial pivoting and row interchanges to solve the equations  $AX = B$ . The matrix  $A$  is factorized as  $A = PLU$ , where  $P$  is a permutation matrix,  $L$  is unit lower triangular with at most one nonzero subdiagonal element per column, and  $U$  is an upper triangular band matrix, with two superdiagonals.

Note that equations  $A^T X = B$  may be solved by interchanging the order of the arguments DU and DL.

### 4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

### 5 Arguments

- 1: N – INTEGER *Input*  
*On entry:*  $n$ , the number of linear equations, i.e., the order of the matrix  $A$ .  
*Constraint:*  $N \geq 0$ .
- 2: NRHS – INTEGER *Input*  
*On entry:*  $r$ , the number of right-hand sides, i.e., the number of columns of the matrix  $B$ .  
*Constraint:*  $NRHS \geq 0$ .
- 3: DL(\*) – REAL (KIND=nag\_wp) array *Input/Output*  
**Note:** the dimension of the array DL must be at least  $\max(1, N - 1)$ .  
*On entry:* must contain the  $(n - 1)$  subdiagonal elements of the matrix  $A$ .  
*On exit:* if no constraints are violated, DL is overwritten by the  $(n - 2)$  elements of the second superdiagonal of the upper triangular matrix  $U$  from the  $LU$  factorization of  $A$ , in  $DL(1), DL(2), \dots, DL(n - 2)$ .

- 4: D(\*) – REAL (KIND=nag\_wp) array *Input/Output*  
**Note:** the dimension of the array D must be at least  $\max(1, N)$ .  
*On entry:* must contain the  $n$  diagonal elements of the matrix  $A$ .  
*On exit:* if no constraints are violated, D is overwritten by the  $n$  diagonal elements of the upper triangular matrix  $U$  from the  $LU$  factorization of  $A$ .
- 5: DU(\*) – REAL (KIND=nag\_wp) array *Input/Output*  
**Note:** the dimension of the array DU must be at least  $\max(1, N - 1)$ .  
*On entry:* must contain the  $(n - 1)$  superdiagonal elements of the matrix  $A$ .  
*On exit:* if no constraints are violated, DU is overwritten by the  $(n - 1)$  elements of the first superdiagonal of  $U$ .
- 6: B(LDB, \*) – REAL (KIND=nag\_wp) array *Input/Output*  
**Note:** the second dimension of the array B must be at least  $\max(1, \text{NRHS})$ .  
To solve the equations  $Ax = b$ , where  $b$  is a single right-hand side, B may be supplied as a one-dimensional array with length  $\text{LDB} = \max(1, N)$ .  
*On entry:* the  $n$  by  $r$  right-hand side matrix  $B$ .  
*On exit:* if  $\text{INFO} = 0$ , the  $n$  by  $r$  solution matrix  $X$ .
- 7: LDB – INTEGER *Input*  
*On entry:* the first dimension of the array B as declared in the (sub)program from which F07CAF (DGTSV) is called.  
*Constraint:*  $\text{LDB} \geq \max(1, N)$ .
- 8: INFO – INTEGER *Output*  
*On exit:*  $\text{INFO} = 0$  unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

$\text{INFO} < 0$

If  $\text{INFO} = -i$ , argument  $i$  had an illegal value. An explanatory message is output, and execution of the program is terminated.

$\text{INFO} > 0$

Element  $\langle \text{value} \rangle$  of the diagonal is exactly zero, and the solution has not been computed. The factorization has not been completed unless  $N = \langle \text{value} \rangle$ .

## 7 Accuracy

The computed solution for a single right-hand side,  $\hat{x}$ , satisfies an equation of the form

$$(A + E)\hat{x} = b,$$

where

$$\|E\|_1 = O(\epsilon)\|A\|_1$$

and  $\epsilon$  is the *machine precision*. An approximate error bound for the computed solution is given by

$$\frac{\|\hat{x} - x\|_1}{\|x\|_1} \leq \kappa(A) \frac{\|E\|_1}{\|A\|_1},$$

where  $\kappa(A) = \|A^{-1}\|_1 \|A\|_1$ , the condition number of  $A$  with respect to the solution of the linear equations. See Section 4.4 of Anderson *et al.* (1999) for further details.

Alternatives to F07CAF (DGTSV), which return condition and error estimates are F04BCF and F07CBF (DGTSVX).

## 8 Parallelism and Performance

F07CAF (DGTSV) is not threaded in any implementation.

## 9 Further Comments

The total number of floating-point operations required to solve the equations  $AX = B$  is proportional to  $nr$ .

The complex analogue of this routine is F07CNF (ZGTSV).

## 10 Example

This example solves the equations

$$Ax = b,$$

where  $A$  is the tridiagonal matrix

$$A = \begin{pmatrix} 3.0 & 2.1 & 0 & 0 & 0 \\ 3.4 & 2.3 & -1.0 & 0 & 0 \\ 0 & 3.6 & -5.0 & 1.9 & 0 \\ 0 & 0 & 7.0 & -0.9 & 8.0 \\ 0 & 0 & 0 & -6.0 & 7.1 \end{pmatrix} \quad \text{and} \quad b = \begin{pmatrix} 2.7 \\ -0.5 \\ 2.6 \\ 0.6 \\ 2.7 \end{pmatrix}.$$

### 10.1 Program Text

```

Program f07cafe

!      F07CAF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: dgtsv, nag_wp
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Integer                     :: info, n
!      .. Local Arrays ..
      Real (Kind=nag_wp), Allocatable :: b(:), d(:), dl(:), du(:)
!      .. Executable Statements ..
      Write (nout,*) 'F07CAF Example Program Results'
      Write (nout,*)
!      Skip heading in data file
      Read (nin,*)
      Read (nin,*) n

      Allocate (b(n),d(n),dl(n-1),du(n-1))

!      Read the tridiagonal matrix A and the right hand side B from
!      data file

      Read (nin,*) du(1:n-1)
      Read (nin,*) d(1:n)
      Read (nin,*) dl(1:n-1)
      Read (nin,*) b(1:n)

```

```

!      Solve the equations Ax = b for x

!      The NAG name equivalent of dgtsv is f07caf
      Call dgtsv(n,1,dl,d,du,b,n,info)

      If (info==0) Then

!          Print solution

          Write (nout,*) 'Solution'
          Write (nout,99999) b(1:n)

      Else
          Write (nout,99998) 'The (', info, ',', info, ')',
            ' element of the factor U is zero'
      End If

99999 Format ((1X,7F11.4))
99998 Format (1X,A,I3,A,I3,A,A)
      End Program f07cafe

```

## 10.2 Program Data

```

F07CAF Example Program Data
5      :Value of N
      2.1 -1.0  1.9  8.0
3.0    2.3 -5.0 -0.9  7.1
3.4    3.6  7.0 -6.0      :End of matrix A
2.7   -0.5  2.6  0.6  2.7 :End of vector B

```

## 10.3 Program Results

F07CAF Example Program Results

```

Solution
-4.0000    7.0000    3.0000   -4.0000   -3.0000

```

---