

NAG Library Routine Document

F07WRF (ZPFTRF)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07WRF (ZPFTRF) computes the Cholesky factorization of a complex Hermitian positive definite matrix stored in Rectangular Full Packed (RFP) format.

2 Specification

SUBROUTINE F07WRF (TRANSR, UPLO, N, AR, INFO)

INTEGER N, INFO
COMPLEX (KIND=nag_wp) AR(N*(N+1)/2)
CHARACTER(1) TRANSR, UPLO

The routine may be called by its LAPACK name *zpftrf*.

3 Description

F07WRF (ZPFTRF) forms the Cholesky factorization of a complex Hermitian positive definite matrix A either as $A = U^H U$ if UPLO = 'U' or $A = L L^H$ if UPLO = 'L', where U is an upper triangular matrix and L is a lower triangular, stored in RFP format. The RFP storage format is described in Section 3.3.3 in the F07 Chapter Introduction.

4 References

Demmel J W (1989) On floating-point errors in Cholesky *LAPACK Working Note No. 14* University of Tennessee, Knoxville <http://www.netlib.org/lapack/lawnspdf/lawn14.pdf>

Gustavson F G, Waśniewski J, Dongarra J J and Langou J (2010) Rectangular full packed format for Cholesky's algorithm: factorization, solution, and inversion *ACM Trans. Math. Software* **37**, 2

5 Arguments

1: TRANSR – CHARACTER(1) *Input*

On entry: specifies whether the normal RFP representation of A or its conjugate transpose is stored.

TRANSR = 'N'

The matrix A is stored in normal RFP format.

TRANSR = 'C'

The conjugate transpose of the RFP representation of the matrix A is stored.

Constraint: TRANSR = 'N' or 'C'.

2: UPLO – CHARACTER(1) *Input*

On entry: specifies whether the upper or lower triangular part of A is stored.

UPLO = 'U'

The upper triangular part of A is stored, and A is factorized as $U^H U$, where U is upper triangular.

UPLO = 'L'

The lower triangular part of A is stored, and A is factorized as LL^H , where L is lower triangular.

Constraint: UPLO = 'U' or 'L'.

3: N – INTEGER

Input

On entry: n , the order of the matrix A .

Constraint: $N \geq 0$.

4: AR($N \times (N + 1)/2$) – COMPLEX (KIND=nag_wp) array

Input/Output

On entry: the upper or lower triangular part (as specified by UPLO) of the n by n Hermitian matrix A , in either normal or transposed RFP format (as specified by TRANSR). The storage format is described in detail in Section 3.3.3 in the F07 Chapter Introduction.

On exit: if INFO = 0, the factor U or L from the Cholesky factorization $A = U^H U$ or $A = LL^H$, in the same storage format as A .

5: INFO – INTEGER

Output

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

The leading minor of order $\langle value \rangle$ is not positive definite and the factorization could not be completed. Hence A itself is not positive definite. This may indicate an error in forming the matrix A . There is no routine specifically designed to factorize a Hermitian matrix stored in RFP format which is not positive definite; the matrix must be treated as a full Hermitian matrix, by calling F07MRF (ZHETRF).

7 Accuracy

If UPLO = 'U', the computed factor U is the exact factor of a perturbed matrix $A + E$, where

$$|E| \leq c(n)\epsilon|U^H||U|,$$

$c(n)$ is a modest linear function of n , and ϵ is the *machine precision*.

If UPLO = 'L', a similar statement holds for the computed factor L . It follows that $|e_{ij}| \leq c(n)\epsilon\sqrt{a_{ii}a_{jj}}$.

8 Parallelism and Performance

F07WRF (ZPFTRF) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

F07WRF (ZPFTRF) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The total number of real floating-point operations is approximately $\frac{4}{3}n^3$.

A call to F07WRF (ZPFTRF) may be followed by calls to the routines:

F07WSF (ZPFTRS) to solve $AX = B$;

F07WWF (ZPFTRI) to compute the inverse of A .

The real analogue of this routine is F07WDF (DPFTRF).

10 Example

This example computes the Cholesky factorization of the matrix A , where

$$A = \begin{pmatrix} 3.23 + 0.00i & 1.51 - 1.92i & 1.90 + 0.84i & 0.42 + 2.50i \\ 1.51 + 1.92i & 3.58 + 0.00i & -0.23 + 1.11i & -1.18 + 1.37i \\ 1.90 - 0.84i & -0.23 - 1.11i & 4.09 + 0.00i & 2.33 - 0.14i \\ 0.42 - 2.50i & -1.18 - 1.37i & 2.33 + 0.14i & 4.29 + 0.00i \end{pmatrix}.$$

and is stored using RFP format.

10.1 Program Text

```

Program f07wrfe

!      F07WRF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: nag_wp, x04dbf, zpftrf, ztfttr
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Integer                     :: i, ifail, info, k, lar1, lda, lenar, &
                                   n, q
      Character (1)               :: transr, uplo
!      .. Local Arrays ..
      Complex (Kind=nag_wp), Allocatable :: a(:, :), ar(:)
      Character (1)                :: clabs(1), rlabs(1)
!      .. Executable Statements ..
      Write (nout,*) 'F07WRF Example Program Results'
!      Skip heading in data file
      Read (nin,*)
      Read (nin,*) n, uplo, transr

      lenar = n*(n+1)/2
      lda = n
      Allocate (ar(lenar),a(lda,n))

!      Setup notional dimensions of RFP matrix AR
      k = n/2
      q = n - k
      If (transr=='N' .Or. transr=='n') Then
         lar1 = 2*k + 1
      Else
         lar1 = q
      End If

!      Read an RFP matrix into array AR
      Do i = 1, lar1
         Read (nin,*) ar(i:lenar:lar1)
      End Do

!      Factorize A

```

```

!      The NAG name equivalent of zpftrf is f07wrf
      Call zpftrf(transr,uplo,n,ar,info)

      Write (nout,*)
      Flush (nout)
      If (info==0) Then

!          Convert and print factor
!          The NAG name equivalent of ztfttr is f01vhf
          Call ztfttr(transr,uplo,n,ar,a,lda,info)
          ifail = 0
          Call x04dbf(uplo,'Nonunit',n,n,a,lda,'Bracketed','F7.4','Factor',      &
                    'Integer',rlabs,'Integer',clabs,80,0,ifail)

      Else
          Write (nout,*) 'A is not positive definite'
      End If

      End Program f07wrfe

```

10.2 Program Data

F07WRF Example Program Data

4	'L'	'N'	: n, uplo, transr
(4.09, 0.00)	(2.33, 0.14)		
(3.23, 0.00)	(4.29, 0.00)		
(1.51, 1.92)	(3.58, 0.00)		
(1.90,-0.84)	(-0.23,-1.11)		
(0.42,-2.50)	(-1.18,-1.37)	: AR	

10.3 Program Results

F07WRF Example Program Results

Factor	1	2	3	4
1	(1.7972, 0.0000)			
2	(0.8402, 1.0683)	(1.3164, 0.0000)		
3	(1.0572,-0.4674)	(-0.4702, 0.3131)	(1.5604,-0.0000)	
4	(0.2337,-1.3910)	(0.0834, 0.0368)	(0.9360, 0.8105)	(0.8713,-0.0000)
