

# NAG Library Routine Document

## F08LSF (ZGBBRD)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F08LSF (ZGBBRD) reduces a complex  $m$  by  $n$  band matrix to real upper bidiagonal form.

### 2 Specification

```
SUBROUTINE F08LSF (VECT, M, N, NCC, KL, KU, AB, LDAB, D, E, Q, LDQ, PT,      &
                  LDPT, C, LDC, WORK, RWORK, INFO)
INTEGER          M, N, NCC, KL, KU, LDAB, LDQ, LDPT, LDC, INFO
REAL (KIND=nag_wp) D(min(M,N)), E(min(M,N)-1), RWORK(max(M,N))
COMPLEX (KIND=nag_wp) AB(LDAB,*), Q(LDQ,*), PT(LDPT,*), C(LDC,*),      &
                  WORK(max(M,N))
CHARACTER(1)     VECT
```

The routine may be called by its LAPACK name *zgbbrd*.

### 3 Description

F08LSF (ZGBBRD) reduces a complex  $m$  by  $n$  band matrix to real upper bidiagonal form  $B$  by a unitary transformation:  $A = QBP^H$ . The unitary matrices  $Q$  and  $P^H$ , of order  $m$  and  $n$  respectively, are determined as a product of Givens rotation matrices, and may be formed explicitly by the routine if required. A matrix  $C$  may also be updated to give  $\tilde{C} = Q^H C$ .

The routine uses a vectorizable form of the reduction.

### 4 References

None.

### 5 Arguments

- 1: VECT – CHARACTER(1) *Input*  
*On entry:* indicates whether the matrices  $Q$  and/or  $P^H$  are generated.  
 VECT = 'N'  
     Neither  $Q$  nor  $P^H$  is generated.  
 VECT = 'Q'  
      $Q$  is generated.  
 VECT = 'P'  
      $P^H$  is generated.  
 VECT = 'B'  
     Both  $Q$  and  $P^H$  are generated.  
*Constraint:* VECT = 'N', 'Q', 'P' or 'B'.
- 2: M – INTEGER *Input*  
*On entry:*  $m$ , the number of rows of the matrix  $A$ .  
*Constraint:*  $M \geq 0$ .

- 3: N – INTEGER *Input*  
*On entry:*  $n$ , the number of columns of the matrix  $A$ .  
*Constraint:*  $N \geq 0$ .
- 4: NCC – INTEGER *Input*  
*On entry:*  $n_C$ , the number of columns of the matrix  $C$ .  
*Constraint:*  $NCC \geq 0$ .
- 5: KL – INTEGER *Input*  
*On entry:* the number of subdiagonals,  $k_l$ , within the band of  $A$ .  
*Constraint:*  $KL \geq 0$ .
- 6: KU – INTEGER *Input*  
*On entry:* the number of superdiagonals,  $k_u$ , within the band of  $A$ .  
*Constraint:*  $KU \geq 0$ .
- 7: AB(LDAB,\*) – COMPLEX (KIND=nag\_wp) array *Input/Output*  
**Note:** the second dimension of the array AB must be at least  $\max(1, N)$ .  
*On entry:* the original  $m$  by  $n$  band matrix  $A$ .  
The matrix is stored in rows 1 to  $k_l + k_u + 1$ , more precisely, the element  $A_{ij}$  must be stored in  

$$AB(k_u + 1 + i - j, j) \quad \text{for } \max(1, j - k_u) \leq i \leq \min(m, j + k_l).$$
*On exit:* AB is overwritten by values generated during the reduction.
- 8: LDAB – INTEGER *Input*  
*On entry:* the first dimension of the array AB as declared in the (sub)program from which F08LSF (ZGBBRD) is called.  
*Constraint:*  $LDAB \geq KL + KU + 1$ .
- 9: D(min(M,N)) – REAL (KIND=nag\_wp) array *Output*  
*On exit:* the diagonal elements of the bidiagonal matrix  $B$ .
- 10: E(min(M,N) – 1) – REAL (KIND=nag\_wp) array *Output*  
*On exit:* the superdiagonal elements of the bidiagonal matrix  $B$ .
- 11: Q(LDQ,\*) – COMPLEX (KIND=nag\_wp) array *Output*  
**Note:** the second dimension of the array Q must be at least  $\max(1, M)$  if VECT = 'Q' or 'B', and at least 1 otherwise.  
*On exit:* if VECT = 'Q' or 'B', contains the  $m$  by  $m$  unitary matrix  $Q$ .  
If VECT = 'N' or 'P', Q is not referenced.
- 12: LDQ – INTEGER *Input*  
*On entry:* the first dimension of the array Q as declared in the (sub)program from which F08LSF (ZGBBRD) is called.  
*Constraints:*  
if VECT = 'Q' or 'B',  $LDQ \geq \max(1, M)$ ;  
otherwise  $LDQ \geq 1$ .

- 13: PT(LDPT,\*) – COMPLEX (KIND=nag\_wp) array *Output*  
**Note:** the second dimension of the array PT must be at least  $\max(1, N)$  if VECT = 'P' or 'B', and at least 1 otherwise.  
*On exit:* the  $n$  by  $n$  unitary matrix  $P^H$ , if VECT = 'P' or 'B'. If VECT = 'N' or 'Q', PT is not referenced.
- 14: LDPT – INTEGER *Input*  
*On entry:* the first dimension of the array PT as declared in the (sub)program from which F08LSF (ZGBBRD) is called.  
*Constraints:*  
if VECT = 'P' or 'B',  $LDPT \geq \max(1, N)$ ;  
otherwise  $LDPT \geq 1$ .
- 15: C(LDC,\*) – COMPLEX (KIND=nag\_wp) array *Input/Output*  
**Note:** the second dimension of the array C must be at least  $\max(1, NCC)$ .  
*On entry:* an  $m$  by  $n_C$  matrix  $C$ .  
*On exit:* C is overwritten by  $Q^H C$ . If  $NCC = 0$ , C is not referenced.
- 16: LDC – INTEGER *Input*  
*On entry:* the first dimension of the array C as declared in the (sub)program from which F08LSF (ZGBBRD) is called.  
*Constraints:*  
if  $NCC > 0$ ,  $LDC \geq \max(1, M)$ ;  
if  $NCC = 0$ ,  $LDC \geq 1$ .
- 17: WORK(max(M,N)) – COMPLEX (KIND=nag\_wp) array *Workspace*
- 18: RWORK(max(M,N)) – REAL (KIND=nag\_wp) array *Workspace*
- 19: INFO – INTEGER *Output*  
*On exit:* INFO = 0 unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

INFO < 0

If INFO =  $-i$ , argument  $i$  had an illegal value. An explanatory message is output, and execution of the program is terminated.

## 7 Accuracy

The computed bidiagonal form  $B$  satisfies  $QBP^H = A + E$ , where

$$\|E\|_2 \leq c(n)\epsilon\|A\|_2,$$

$c(n)$  is a modestly increasing function of  $n$ , and  $\epsilon$  is the *machine precision*.

The elements of  $B$  themselves may be sensitive to small perturbations in  $A$  or to rounding errors in the computation, but this does not affect the stability of the singular values and vectors.

The computed matrix  $Q$  differs from an exactly unitary matrix by a matrix  $F$  such that

$$\|F\|_2 = O(\epsilon).$$

A similar statement holds for the computed matrix  $P^H$ .

## 8 Parallelism and Performance

F08LSF (ZGBBRD) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The total number of real floating-point operations is approximately the sum of:

$20n^2k$ , if  $VECT = 'N'$  and  $NCC = 0$ , and

$10n^2n_C(k-1)/k$ , if  $C$  is updated, and

$10n^3(k-1)/k$ , if either  $Q$  or  $P^H$  is generated (double this if both),

where  $k = k_l + k_u$ , assuming  $n \gg k$ . For this section we assume that  $m = n$ .

The real analogue of this routine is F08LEF (DGBBRD).

## 10 Example

This example reduces the matrix  $A$  to upper bidiagonal form, where

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & 0.00 + 0.00i & 0.00 + 0.00i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & 0.00 + 0.00i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ 0.00 + 0.00i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.00 + 0.00i & 0.00 + 0.00i & -0.17 - 0.46i & 1.47 + 1.59i \\ 0.00 + 0.00i & 0.00 + 0.00i & 0.00 + 0.00i & 0.26 + 0.26i \end{pmatrix}.$$

### 10.1 Program Text

```

Program f08lsfe

!      F08LSF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: nag_wp, zgbbrd
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
      Character (1), Parameter    :: vect = 'N'
!      .. Local Scalars ..
      Integer                     :: i, info, j, kl, ku, ldab, ldc, ldpt, &
                                   ldq, m, n, ncc
!      .. Local Arrays ..
      Complex (Kind=nag_wp), Allocatable :: ab(:,,:), c(:,,:), pt(:,,:), q(:,,:), &
                                   work(:)
      Real (Kind=nag_wp), Allocatable   :: d(:), e(:), rwork(:)
!      .. Intrinsic Procedures ..
      Intrinsic                      :: max, min
!      .. Executable Statements ..

```

```

      Write (nout,*) 'F08LSF Example Program Results'
!      Skip heading in data file
      Read (nin,*)
      Read (nin,*) m, n, kl, ku, ncc
      ldab = kl + ku + 1
      ldc = m
      ldpt = n
      ldq = m
      Allocate (ab(ldab,n),c(m,ncc),pt(ldpt,n),q(ldq,m),work(m+n),d(n),e(n-1), &
        rwork(m+n))

!      Read A from data file

      Read (nin,*)((ab(ku+1+i-j,j),j=max(i-kl,1),min(i+ku,n)),i=1,m)

!      Reduce A to upper bidiagonal form

!      The NAG name equivalent of zgbbrd is f08lsf
      Call zgbbrd(vect,m,n,ncc,kl,ku,ab,ldab,d,e,q,ldq,pt,ldpt,c,ldc,work,      &
        rwork,info)

!      Print bidiagonal form

      Write (nout,*)
      Write (nout,*) 'Diagonal'
      Write (nout,99999) d(1:min(m,n))
      Write (nout,*) 'Superdiagonal'
      Write (nout,99999) e(1:min(m,n)-1)

99999 Format (1X,8F9.4)
      End Program f08lsfe

```

## 10.2 Program Data

```

F08LSF Example Program Data
  6  4  2  1  0                               :Values of M, N, KL, KU and NCC
( 0.96,-0.81) (-0.03, 0.96)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
               ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
                           (-0.17,-0.46) ( 1.47, 1.59)
                                   ( 0.26, 0.26)      :End of matrix A

```

## 10.3 Program Results

F08LSF Example Program Results

```

Diagonal
  2.6560   1.7501   2.0607   0.8658
Superdiagonal
  1.7033   1.2800   0.1467

```

---