

# NAG Library Routine Document

## F08VEF (DGGSVP)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

### 1 Purpose

F08VEF (DGGSVP) uses orthogonal transformations to simultaneously reduce the  $m$  by  $n$  matrix  $A$  and the  $p$  by  $n$  matrix  $B$  to upper triangular form. This factorization is usually used as a preprocessing step for computing the generalized singular value decomposition (GSVD). F08VEF (DGGSVP) is marked as *deprecated* by LAPACK; the replacement routine is F08VGF (DGGSVP3) which makes better use of level 3 BLAS.

### 2 Specification

```
SUBROUTINE F08VEF (JOBV, JOBV, JOBQ, M, P, N, A, LDA, B, LDB, TOLA,      &
                  TOLB, K, L, U, LDU, V, LDV, Q, LDQ, IWORK, TAU, WORK,  &
                  INFO)

INTEGER                M, P, N, LDA, LDB, K, L, LDU, LDV, LDQ, IWORK(N),  &
                  INFO
REAL (KIND=nag_wp)    A(LDA,*), B(LDB,*), TOLA, TOLB, U(LDU,*), V(LDV,*),  &
                  Q(LDQ,*), TAU(N), WORK(max(3*N,M,P))
CHARACTER(1)          JOBU, JOBV, JOBQ
```

The routine may be called by its LAPACK name ***dggsvp***.

### 3 Description

F08VEF (DGGSVP) computes orthogonal matrices  $U$ ,  $V$  and  $Q$  such that

$$U^T A Q = \begin{cases} \begin{pmatrix} n-k-l & k & l \\ & k & \\ & l & \end{pmatrix} \begin{pmatrix} 0 & A_{12} & A_{13} \\ 0 & 0 & A_{23} \\ 0 & 0 & 0 \end{pmatrix}, & \text{if } m-k-l \geq 0; \\ \begin{pmatrix} n-k-l & k & l \\ & k & \\ m-k & & \end{pmatrix} \begin{pmatrix} 0 & A_{12} & A_{13} \\ 0 & 0 & A_{23} \end{pmatrix}, & \text{if } m-k-l < 0; \end{cases}$$

$$V^T B Q = \begin{pmatrix} n-k-l & k & l \\ & l & \\ p-l & & \end{pmatrix} \begin{pmatrix} 0 & 0 & B_{13} \\ 0 & 0 & 0 \end{pmatrix}$$

where the  $k$  by  $k$  matrix  $A_{12}$  and  $l$  by  $l$  matrix  $B_{13}$  are nonsingular upper triangular;  $A_{23}$  is  $l$  by  $l$  upper triangular if  $m-k-l \geq 0$  and is  $(m-k)$  by  $l$  upper trapezoidal otherwise.  $(k+l)$  is the effective numerical rank of the  $(m+p)$  by  $n$  matrix  $(A^T \ B^T)^T$ .

This decomposition is usually used as the preprocessing step for computing the Generalized Singular Value Decomposition (GSVD), see routine F08VAF (DGGSVD).

## 4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

## 5 Arguments

- 1:    JOBU – CHARACTER(1) *Input*  
*On entry:* if JOBU = 'U', the orthogonal matrix  $U$  is computed.  
If JOBU = 'N',  $U$  is not computed.  
*Constraint:* JOBU = 'U' or 'N'.
- 2:    JOBV – CHARACTER(1) *Input*  
*On entry:* if JOBV = 'V', the orthogonal matrix  $V$  is computed.  
If JOBV = 'N',  $V$  is not computed.  
*Constraint:* JOBV = 'V' or 'N'.
- 3:    JOBQ – CHARACTER(1) *Input*  
*On entry:* if JOBQ = 'Q', the orthogonal matrix  $Q$  is computed.  
If JOBQ = 'N',  $Q$  is not computed.  
*Constraint:* JOBQ = 'Q' or 'N'.
- 4:    M – INTEGER *Input*  
*On entry:*  $m$ , the number of rows of the matrix  $A$ .  
*Constraint:*  $M \geq 0$ .
- 5:    P – INTEGER *Input*  
*On entry:*  $p$ , the number of rows of the matrix  $B$ .  
*Constraint:*  $P \geq 0$ .
- 6:    N – INTEGER *Input*  
*On entry:*  $n$ , the number of columns of the matrices  $A$  and  $B$ .  
*Constraint:*  $N \geq 0$ .
- 7:    A(LDA,\*) – REAL (KIND=nag\_wp) array *Input/Output*  
**Note:** the second dimension of the array  $A$  must be at least  $\max(1, N)$ .  
*On entry:* the  $m$  by  $n$  matrix  $A$ .  
*On exit:* contains the triangular (or trapezoidal) matrix described in Section 3.
- 8:    LDA – INTEGER *Input*  
*On entry:* the first dimension of the array  $A$  as declared in the (sub)program from which F08VEF (DGGSPV) is called.  
*Constraint:*  $LDA \geq \max(1, M)$ .

- 9: B(LDB,\*) – REAL (KIND=nag\_wp) array Input/Output  
**Note:** the second dimension of the array B must be at least  $\max(1, N)$ .  
*On entry:* the  $p$  by  $n$  matrix  $B$ .  
*On exit:* contains the triangular matrix described in Section 3.
- 10: LDB – INTEGER Input  
*On entry:* the first dimension of the array B as declared in the (sub)program from which F08VEF (DGGSPV) is called.  
*Constraint:*  $LDB \geq \max(1, P)$ .
- 11: TOLA – REAL (KIND=nag\_wp) Input  
12: TOLB – REAL (KIND=nag\_wp) Input  
*On entry:* TOLA and TOLB are the thresholds to determine the effective numerical rank of matrix  $B$  and a subblock of  $A$ . Generally, they are set to
- $$\begin{aligned} \text{TOLA} &= \max(M, N) \|A\| \epsilon, \\ \text{TOLB} &= \max(P, N) \|B\| \epsilon, \end{aligned}$$
- where  $\epsilon$  is the *machine precision*.  
The size of TOLA and TOLB may affect the size of backward errors of the decomposition.
- 13: K – INTEGER Output  
14: L – INTEGER Output  
*On exit:* K and L specify the dimension of the subblocks  $k$  and  $l$  as described in Section 3;  $(k + l)$  is the effective numerical rank of  $(A^T \ B^T)^T$ .
- 15: U(LDU,\*) – REAL (KIND=nag\_wp) array Output  
**Note:** the second dimension of the array U must be at least  $\max(1, M)$  if JOBU = 'U', and at least 1 otherwise.  
*On exit:* if JOBU = 'U', U contains the orthogonal matrix  $U$ .  
If JOBU = 'N', U is not referenced.
- 16: LDU – INTEGER Input  
*On entry:* the first dimension of the array U as declared in the (sub)program from which F08VEF (DGGSPV) is called.  
*Constraints:*  
if JOBU = 'U',  $LDU \geq \max(1, M)$ ;  
otherwise  $LDU \geq 1$ .
- 17: V(LDV,\*) – REAL (KIND=nag\_wp) array Output  
**Note:** the second dimension of the array V must be at least  $\max(1, P)$  if JOBV = 'V', and at least 1 otherwise.  
*On exit:* if JOBV = 'V', V contains the orthogonal matrix  $V$ .  
If JOBV = 'N', V is not referenced.
- 18: LDV – INTEGER Input  
*On entry:* the first dimension of the array V as declared in the (sub)program from which F08VEF (DGGSPV) is called.

*Constraints:*

if  $\text{JOBV} = 'V'$ ,  $\text{LDV} \geq \max(1, P)$ ;  
otherwise  $\text{LDV} \geq 1$ .

19:  $Q(\text{LDQ}, *)$  – REAL (KIND=nag\_wp) array

*Output*

**Note:** the second dimension of the array  $Q$  must be at least  $\max(1, N)$  if  $\text{JOBQ} = 'Q'$ , and at least 1 otherwise.

*On exit:* if  $\text{JOBQ} = 'Q'$ ,  $Q$  contains the orthogonal matrix  $Q$ .

If  $\text{JOBQ} = 'N'$ ,  $Q$  is not referenced.

20: LDQ – INTEGER

*Input*

*On entry:* the first dimension of the array  $Q$  as declared in the (sub)program from which F08VEF (DGGSPV) is called.

*Constraints:*

if  $\text{JOBQ} = 'Q'$ ,  $\text{LDQ} \geq \max(1, N)$ ;  
otherwise  $\text{LDQ} \geq 1$ .

21: IWORK(N) – INTEGER array

*Workspace*

22: TAU(N) – REAL (KIND=nag\_wp) array

*Workspace*

23: WORK( $\max(3 \times N, M, P)$ ) – REAL (KIND=nag\_wp) array

*Workspace*

24: INFO – INTEGER

*Output*

*On exit:* INFO = 0 unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

INFO < 0

If  $\text{INFO} = -i$ , argument  $i$  had an illegal value. An explanatory message is output, and execution of the program is terminated.

## 7 Accuracy

The computed factorization is nearly the exact factorization for nearby matrices  $(A + E)$  and  $(B + F)$ , where

$$\|E\|_2 = O(\epsilon)\|A\|_2 \quad \text{and} \quad \|F\|_2 = O(\epsilon)\|B\|_2,$$

and  $\epsilon$  is the *machine precision*.

## 8 Parallelism and Performance

F08VEF (DGGSPV) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The complex analogue of this routine is F08VSF (ZGGSPV).

## 10 Example

This example finds the generalized factorization

$$A = U \Sigma_1 \begin{pmatrix} 0 & S \end{pmatrix} Q^T, \quad B = V \Sigma_2 \begin{pmatrix} 0 & T \end{pmatrix} Q^T,$$

of the matrix pair  $(A \ B)$ , where

$$A = \begin{pmatrix} 1 & 2 & 3 \\ 3 & 2 & 1 \\ 4 & 5 & 6 \\ 7 & 8 & 8 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} -2 & -3 & 3 \\ 4 & 6 & 5 \end{pmatrix}.$$

### 10.1 Program Text

Program f08vefe

```
!      F08VEF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: dggsvp, f06raf, nag_wp, x02ajf, x04cbf
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Real (Kind=nag_wp)         :: eps, tola, tolb
      Integer                    :: i, ifail, info, irank, k, l, lda,    &
                                :: ldb, ldq, ldu, ldv, m, n, p
!      .. Local Arrays ..
      Real (Kind=nag_wp), Allocatable :: a(:,,:), b(:,,:), q(:,,:), tau(:),    &
                                :: u(:,,:), v(:,,:), work(:)
      Integer, Allocatable          :: iwork(:)
      Character (1)                 :: clabs(1), rlabs(1)
!      .. Intrinsic Procedures ..
      Intrinsic                    :: max, real
!      .. Executable Statements ..
      Write (nout,*) 'F08VEF Example Program Results'
      Write (nout,*)
      Flush (nout)

!      Skip heading in data file
      Read (nin,*)
      Read (nin,*) m, n, p
      lda = m
      ldb = p
      ldq = n
      ldu = m
      ldv = p
      Allocate (a(lda,n),b(ldb,n),q(ldq,n),tau(n),u(ldu,m),v(ldv,p),    &
                work(m+3*n+p),iwork(n))

!      Read the m by n matrix A and p by n matrix B from data file

      Read (nin,*)(a(i,1:n),i=1,m)
      Read (nin,*)(b(i,1:n),i=1,p)

!      Compute tola and tolb as
!      tola = max(m,n)*norm(A)*macheps
!      tolb = max(p,n)*norm(B)*macheps

      eps = x02ajf()
```

```

      tola = real(max(m,n),kind=nag_wp)*f06raf('One-norm',m,n,a,lda,work)*eps
      tolb = real(max(p,n),kind=nag_wp)*f06raf('One-norm',p,n,b,ldb,work)*eps

!      Compute the factorization of (A, B)
!      (A = U*S*(Q**T), B = V*T*(Q**T))

!      The NAG name equivalent of dggsvp is f08vef
      Call dggsvp('U','V','Q',m,p,n,a,lda,b,ldb,tola,tolb,k,l,u,ldu,v,ldv,q, &
        ldq,iwork,tau,work,info)

!      Print solution

      irank = k + 1
      Write (nout,*) 'Numerical rank of (A**T B**T)**T (K+L)'
      Write (nout,99999) irank

      Write (nout,*)
      Flush (nout)
      If (m>=irank) Then

!      ifail: behaviour on error exit
!      =0 for hard exit, =1 for quiet-soft, =-1 for noisy-soft
      ifail = 0
      Call x04cbf('Upper','Non-unit',irank,irank,a(1,n-irank+1),lda, &
        '1P,E12.4','Upper triangular matrix S','Integer',rlabs,'Integer', &
        clabs,80,0,ifail)

      Else

        ifail = 0
        Call x04cbf('Upper','Non-unit',m,irank,a(1,n-irank+1),lda,'1P,E12.4', &
          'Upper trapezoidal matrix S','Integer',rlabs,'Integer',clabs,80,0, &
          ifail)

      End If
      Write (nout,*)
      Flush (nout)

      ifail = 0
      Call x04cbf('Upper','Non-unit',l,l,b(1,n-l+1),ldb,'1P,E12.4', &
        'Upper triangular matrix T','Integer',rlabs,'Integer',clabs,80,0, &
        ifail)

      Write (nout,*)
      Flush (nout)

      ifail = 0
      Call x04cbf('General',' ',m,m,u,ldu,'1P,E12.4','Orthogonal matrix U', &
        'Integer',rlabs,'Integer',clabs,80,0,ifail)

      Write (nout,*)
      Flush (nout)

      ifail = 0
      Call x04cbf('General',' ',p,p,v,ldv,'1P,E12.4','Orthogonal matrix V', &
        'Integer',rlabs,'Integer',clabs,80,0,ifail)

      Write (nout,*)
      Flush (nout)

      ifail = 0
      Call x04cbf('General',' ',n,n,q,ldq,'1P,E12.4','Orthogonal matrix Q', &
        'Integer',rlabs,'Integer',clabs,80,0,ifail)

99999 Format (1X,I5)
      End Program f08vefe

```

## 10.2 Program Data

F08VEF Example Program Data

```

4      3      2      :Values of M, N and P

1.0    2.0    3.0
3.0    2.0    1.0
4.0    5.0    6.0
7.0    8.0    8.0 :End of matrix A

-2.0   -3.0    3.0
4.0    6.0    5.0 :End of matrix B

```

## 10.3 Program Results

F08VEF Example Program Results

Numerical rank of  $(A^*T B^*T)^*T$  (K+L)  
3

Upper triangular matrix S

```

           1           2           3
1  -2.0569E+00  1.0771E+01 -7.2814E+00
2           7.1947E+00 -7.5262E+00
3           5.8129E-01

```

Upper triangular matrix T

```

           1           2
1   8.0623E+00 -3.1305E+00
2           -4.9193E+00

```

Orthogonal matrix U

```

           1           2           3           4
1  -1.3484E-01  5.1025E-01 -2.4351E-01  8.1373E-01
2   6.7420E-01 -5.4670E-01 -3.5349E-01  3.4874E-01
3   2.6968E-01  4.8292E-01 -6.9127E-01 -4.6499E-01
4   6.7420E-01  4.5558E-01  5.8129E-01  1.5127E-15

```

Orthogonal matrix V

```

           1           2
1  -4.4721E-01  8.9443E-01
2   8.9443E-01  4.4721E-01

```

Orthogonal matrix Q

```

           1           2           3
1  -8.3205E-01  5.5470E-01  0.0000E+00
2   5.5470E-01  8.3205E-01  0.0000E+00
3   0.0000E+00  0.0000E+00 -1.0000E+00

```

---