

NAG Library Routine Document

G01HAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G01HAF returns the lower tail probability for the bivariate Normal distribution, via the routine name.

2 Specification

```
FUNCTION G01HAF (X, Y, RHO, IFAIL)
  REAL (KIND=nag_wp) G01HAF
  INTEGER IFAIL
  REAL (KIND=nag_wp) X, Y, RHO
```

3 Description

For the two random variables (X, Y) following a bivariate Normal distribution with

$$E[X] = 0, \quad E[Y] = 0, \quad E[X^2] = 1, \quad E[Y^2] = 1 \quad \text{and} \quad E[XY] = \rho,$$

the lower tail probability is defined by:

$$P(X \leq x, Y \leq y : \rho) = \frac{1}{2\pi\sqrt{1-\rho^2}} \int_{-\infty}^y \int_{-\infty}^x \exp\left(-\frac{(X^2 - 2\rho XY + Y^2)}{2(1-\rho^2)}\right) dXdY.$$

For a more detailed description of the bivariate Normal distribution and its properties see Abramowitz and Stegun (1972) and Kendall and Stuart (1969). The method used is described by Genz (2004).

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Genz A (2004) Numerical computation of rectangular bivariate and trivariate Normal and t probabilities *Statistics and Computing* **14** 151–160

Kendall M G and Stuart A (1969) *The Advanced Theory of Statistics (Volume 1)* (3rd Edition) Griffin

5 Arguments

- 1: X – REAL (KIND=nag_wp) *Input*
On entry: x , the first argument for which the bivariate Normal distribution function is to be evaluated.
- 2: Y – REAL (KIND=nag_wp) *Input*
On entry: y , the second argument for which the bivariate Normal distribution function is to be evaluated.
- 3: RHO – REAL (KIND=nag_wp) *Input*
On entry: ρ , the correlation coefficient.
Constraint: $-1.0 \leq \text{RHO} \leq 1.0$.

4: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $\text{RHO} < -1.0$,
or $\text{RHO} > 1.0$.

If on exit IFAIL = 1 then G01HAF returns zero.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

Accuracy of the hybrid algorithm implemented here is discussed in Genz (2004). This algorithm should give a maximum absolute error of less than 5×10^{-16} .

8 Parallelism and Performance

G01HAF is not threaded in any implementation.

9 Further Comments

The probabilities for the univariate Normal distribution can be computed using S15ABF and S15ACF.

10 Example

This example reads values of x and y for a bivariate Normal distribution along with the value of ρ and computes the lower tail probabilities.

10.1 Program Text

```

Program g01hafa

!      G01HAF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: g01haf, nag_wp
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Real (Kind=nag_wp)          :: prob, rho, x, y
      Integer                      :: ifail
!      .. Executable Statements ..
      Write (nout,*) 'G01HAF Example Program Results'
      Write (nout,*)

!      Skip heading in data file
      Read (nin,*)

!      Display titles
      Write (nout,*) '          X          Y          RHO          PROB'
      Write (nout,*)

d_lp: Do
      Read (nin,*,Iostat=ifail) x, y, rho
      If (ifail/=0) Then
         Exit d_lp
      End If

!      Calculate probability
      ifail = 0
      prob = g01haf(x,y,rho,ifail)

!      Display results
      Write (nout,99999) x, y, rho, prob
End Do d_lp

99999 Format (1X,3F8.3,F8.4)
End Program g01hafa

```

10.2 Program Data

```

G01HAF Example Program Data
  1.7  23.1  0.0      :X Y RHO
  0.0   0.0  0.1      :X Y RHO
  3.3  11.1  0.54     :X Y RHO
  9.1   9.1  0.17     :X Y RHO

```

10.3 Program Results

G01HAF Example Program Results

X	Y	RHO	PROB
1.700	23.100	0.000	0.9554
0.000	0.000	0.100	0.2659
3.300	11.100	0.540	0.9995
9.100	9.100	0.170	1.0000
