

NAG Library Routine Document

X07AAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

X07AAF determines whether a floating-point number is finite.

2 Specification

```
FUNCTION X07AAF (X)  
LOGICAL X07AAF  
REAL (KIND=nag_wp) X
```

3 Description

X07AAF returns .TRUE. if and only if X is finite, and returns .FALSE. otherwise.

4 References

IEEE (2008) *Standard for Floating-Point Arithmetic* **IEEE Standard 754-2008** IEEE, New York.

5 Arguments

1: X – REAL (KIND=nag_wp) *Input*
On entry: the number whose status is to be determined.

6 Error Indicators and Warnings

None.

7 Accuracy

Not applicable.

8 Parallelism and Performance

X07AAF is not threaded in any implementation.

9 Further Comments

This routine will return .FALSE. if the argument X is either infinite or a NaN (Not A Number).

10 Example

This program creates various infinities, NaNs and normal numbers and distinguishes between them.

10.1 Program Text

Program x07aafe

```

!      X07AAF Example Program Text
!
!      Mark 26 Release. NAG Copyright 2016.
!
!      .. Use Statements ..
!      Use nag_library, Only: nag_wp, x02alf, x07aaf, x07abf, x07baf, x07bbf,    &
!                               x07caf, x07cbf
!      .. Implicit None Statement ..
!      Implicit None
!      .. Parameters ..
!      Integer, Parameter          :: nout = 6
!      .. Local Scalars ..
!      Real (Kind=nag_wp)          :: huge, neginf, qnan, x, y, zero
!      .. Local Arrays ..
!      Integer                      :: exmode(3), newexmode(3)
!      .. Executable Statements ..
!      Write (nout,*) 'X07AAF Example Program Results'
!      Write (nout,*)
!
!      Turn exception halting mode off for the three common exceptions
!      overflow, division-by-zero, and invalid operation
!      Write (nout,*) 'Turn exception halting off ...'
!      exmode = (/0,0,0/)
!      Call x07cbf(exmode)
!
!      Check that exception halting mode for the three common exceptions
!      was really turned off
!      Call x07caf(newexmode)
!      Write (nout,99999) 'Exception halting mode is now: ', newexmode
!
!      Look at some ordinary numbers
!      x = 1.0_nag_wp
!      Call diagnose('one',x)
!      x = -2.0_nag_wp
!      Call diagnose('-two',x)
!      zero = 0.0_nag_wp
!      Call diagnose('zero',zero)
!
!      Generate an infinity and a NaN and look at their properties
!      Call x07baf(-1,neginf)
!      Call diagnose('-Infinity',neginf)
!      Call x07bbf(1,qnan)
!      Call diagnose('Quiet NaN',qnan)
!
!      Do some operations which purposely raise exceptions
!      huge = x02alf()
!      Write (nout,*)
!      Write (nout,*) 'Try to cause overflow - no trap should occur:'
!      x = huge
!      y = x*x
!      If (y>huge) Then
!         Write (nout,99998) 'y = huge() * huge() > huge() '
!      Else
!         Write (nout,99998) 'y = huge() * huge() = ', y
!      End If
!
!      Write (nout,*)
!      Write (nout,*) 'Try to cause NaN - no trap should occur:'
!      y = zero/zero
!      If (x07abf(y)) Then
!         Write (nout,99998) 'y = 0.0 / 0.0 = NaN'
!      Else
!         Write (nout,99998) 'y = 0.0 / 0.0 = ', y
!      End If
!
!      Write (nout,*)
!      Write (nout,*) 'Try to cause division by zero - no trap should occur:'

```

```

      x = 1.0_nag_wp
      y = x/zero
      If (y>huge) Then
        Write (nout,99998) 'y = 1.0 / 0.0 > huge()'
      Else
        Write (nout,99998) 'y = 1.0 / 0.0 = ', y
      End If

99999 Format (1X,A,3I3)
99998 Format (1X,A,1P,E12.4)

Contains

      Subroutine diagnose(c,x)

!      .. Implicit None Statement ..
      Implicit None
!      .. Scalar Arguments ..
      Real (Kind=nag_wp), Intent (In) :: x
      Character (*), Intent (In)      :: c
!      .. Executable Statements ..
      Write (nout,*)
      If (c=='-Infinity') Then
        Write (nout,99999) c
      Else
        Write (nout,99998) c, x
      End If

      If (x07aaf(x)) Then
        Write (nout,*) '"" // c // "" is finite'
      Else
        Write (nout,*) '"" // c // "" is not finite'
      End If
      If (x07abf(x)) Then
        Write (nout,*) '"" // c // "" is NaN'
      Else
        Write (nout,*) '"" // c // "" is not NaN'
      End If

      If (x<0.0_nag_wp) Then
        Write (nout,*) '"" // c // "" compares less than zero.'
      Else
        Write (nout,*) '"" // c // "" does not compare less than zero.'
      End If
      If (x==0.0_nag_wp) Then
        Write (nout,*) '"" // c // "" compares equal to zero.'
      Else
        Write (nout,*) '"" // c // "" does not compare equal to zero.'
      End If
      If (x>0.0_nag_wp) Then
        Write (nout,*) '"" // c // "" compares greater than zero.'
      Else
        Write (nout,*) '"" // c // "" does not compare greater than zero.'
      End If

      Return

99999  Format (1X,'Diagnosis of value "',A,'"')
99998  Format (1X,'Diagnosis of value "',A,'" which prints as ',1P,E12.4)

      End Subroutine diagnose

      End Program x07aafe

```

10.2 Program Data

None.

10.3 Program Results

X07AAF Example Program Results

```
Turn exception halting off ...
Exception halting mode is now:  0  0  0

Diagnosis of value "one" which prints as  1.0000E+00
"one" is finite
"one" is not NaN
"one" does not compare less than zero.
"one" does not compare equal to zero.
"one" compares greater than zero.

Diagnosis of value "-two" which prints as -2.0000E+00
"-two" is finite
"-two" is not NaN
"-two" compares less than zero.
"-two" does not compare equal to zero.
"-two" does not compare greater than zero.

Diagnosis of value "zero" which prints as  0.0000E+00
"zero" is finite
"zero" is not NaN
"zero" does not compare less than zero.
"zero" compares equal to zero.
"zero" does not compare greater than zero.

Diagnosis of value "-Infinity"
"-Infinity" is not finite
"-Infinity" is not NaN
"-Infinity" compares less than zero.
"-Infinity" does not compare equal to zero.
"-Infinity" does not compare greater than zero.

Diagnosis of value "Quiet NaN" which prints as      NaN
"Quiet NaN" is not finite
"Quiet NaN" is NaN
"Quiet NaN" does not compare less than zero.
"Quiet NaN" does not compare equal to zero.
"Quiet NaN" does not compare greater than zero.

Try to cause overflow - no trap should occur:
y = huge() * huge() > huge()

Try to cause NaN - no trap should occur:
y = 0.0 / 0.0 = NaN

Try to cause division by zero - no trap should occur:
y = 1.0 / 0.0 > huge()
```
